

IN THE CLAIMS:

Claim 1. (Amended) A method of sorting a group of objects in accordance with an ascending sequence or a descending sequence of order numbers which are assigned to the objects, the objects being subjected in successive sorting steps to a sorting treatment comprising:

PD ~~in that,~~ depending on ~~the~~ a sorting criterion as to whether the order number of the respective object has or would have a zero or a one in its binary representation at a point that depends on the relevant sorting step, allocating the respective object ~~it is allocated~~ to a respective first storage area or a respective second storage area for sorting treatment in the next sorting step, further including providing each sorting step with a new pair of first and second storage areas such that storage areas of each sorting step serve as separate source storage areas for subsequent steps.

a ~~the~~ least significant digit of the order number in the binary representation being relevant for the sorting criterion in the first sorting step and the respective next most significant digit in the order number in the binary representation being relevant for the sorting criterion in the successive further sorting step ~~s and,~~

beginning at the second sorting step, either a storage area sequence of first all the objects from the respective first storage area and then the objects from the respective second storage area or of first all the objects from the second storage area and then the objects from the ~~second~~ respective first storage area - ~~maintaining the relevant storage area sequence for all further sorting steps -~~ being subjected to the sorting treatment, ~~specifically,~~ and maintaining the relevant storage area sequence for all further sorting steps so as to maintain ~~beginning at the latest from the third sorting step,~~ in the sequence in which the objects were supplied to the respective storage area in the preceding sorting step.

Appl. No. 10/049,431
Amdt. dated July 28, 2003
Reply to Office Action of February 26, 2003

Claim 2. (Amended) The method as claimed in claim 1, further including subdividing the group the
~~group being subdivided~~ in at least one preparation step into a subgroup of objects whose order number is
less than a relevant predetermined number, and into a group of objects whose order number is equal to or
greater to the predetermined number, and sorting each subgroup ~~being sorted as claimed in claim 1.~~

Claim 3. (Amended) The method as claimed in claim 2, further including combining characterized in
that the subgroups ~~are combined~~ in order after being sorted.

Claims 4 and 5. (Cancelled).

Claim 6. (Amended) A sorting device for sorting objects in accordance with the method as claimed
in claim 1, the sorting device being part of a ~~conveying device, in particular a suspension conveying device,~~
in which conveyed goods carriers are moved and guided on ~~guide elements, in particular guide rails,~~ along
relevant conveying paths, as transport means for the objects, the sorting device comprising the following
features:

a first conveying path section to be used as a first destination storage area (ZS1) and a second
conveying path section to be used as a second destination storage area, ~~a respective sorting step in~~
~~accordance with the sorting criterion relevant in the sorting step,~~

a conveying path section to be used as a first source storage area (QS1) and a conveying path
section to be used as a second source storage area (QS2) for providing the objects located on conveyed

Appl. No. 10/049,431
Amdt. dated July 28, 2003
Reply to Office Action of February 26, 2003

goods carriers for sorting treatment during a respective sorting step,


at least one diverter device (W) between the source storage areas (QS1, QS2); and the destination storage areas (ZS1, ZS2),


at least one data reading device (L), provided close to the diverter device (W), for registering order numbers, ~~preferably provided in machine-readable form on the conveyed goods carriers~~, of objects which are supplied to the diverter device (W),

a control device (S) that receives order number information from the data reading device (L) and which is set up to control the supply of the conveyed goods carriers with objects located on them to the diverter device (W) and to control the diverter position of the diverter device (W) in such a way that, according to the sorting criterion as to whether the order number of the object respectively fed to the diverter device (W) has or would have a zero or a one in its binary representation at a point that depends on the relevant sorting step, the relevant objects in the sorting steps being supplied to the first destination storage area (ZS1) and from there to the first source storage area (QS1) or to the second destination storage area (ZS2) and from there to the second source storage area (QS2) for sorting treatment in the next sorting step, the least significant digit of the order number in the binary representation being relevant for the sorting criterion in the first sorting step and the respective next most significant digit in the order number in the binary representation being relevant for the sorting criterion in the successive further sorting steps and, beginning at the second sorting step, either first all the objects from the first source storage area (QS1) and then the objects from the second source storage area (QS2) or first all the objects from the second source storage area (QS2) and then the objects from the first source storage area (QS1) - maintaining the relevant

Appl. No. 10/049,431
Amdt. dated July 28, 2003
Reply to Office Action of February 26, 2003

source storage area sequence for all further sorting steps - being supplied to the diverter device (W);
~~specifically, beginning at the latest from the third sorting step, in the sequence in which the objects were
supplied to the respective source storage area (QS1, QS2) in the preceding sorting step.~~

 **Claim 7.** (Amended) The sorting device as claimed in claim 6 4, ~~characterized in that~~ wherein the destination storage areas (ZS1, ZS2) and the source storage areas (QS1, QS2) are provided in conveying circuits (50i, 50a) which are connected to one another via the diverter device (W).


 **Claim 8.** (New) The method as claimed in claim 1, further including providing a plurality of said first storage areas (21, 31, 41 ...) aligned end-to-end and a plurality of said second storage areas (22, 32, 42 ...) aligned end-to-end so that said successive sorting steps are carried out in different storage areas arranged in end-to-end relationships.

Claim 9. (New) The method as claimed in claim 8, further including providing said plurality of said first storage areas (21, 31, 41 ...) aligned end-to-end in a generally linear relationship and said plurality of said second storage areas (22, 32, 42 ...) aligned end-to-end in a generally linear relationship so that said successive sorting steps are carried out along a generally linear path.

Appl. No. 10/049,431
Amdt. dated July 28, 2003
Reply to Office Action of February 26, 2003

Claim 10. (New) A method of sorting a group of objects in accordance with a sequence of order numbers assigned to the objects, comprising:

in a first sorting step, allocating a respective object into to a first storage area or into a second storage area based on a value of zero or one in a binary bit or remainder interrogation,



in a second sorting step, allocating a respective object into said first or second storage area in a storage area sequence of first objects from one of said first or second storage areas and then objects from the other of said first or second storage areas based on a value of zero or one in a binary bit or remainder interrogation,


in later sorting steps, allocating respective objects into said first or second storage areas, while maintaining the storage area sequence of the second sorting step, based on a value of zero or one in a binary bit or remainder interrogation, and

providing the group of objects to be sorted in the range of between 0 and $2^N - 1$, wherein N is the number of sorting steps.

Claim 11. (New) The method as claimed in claim 10, further including providing separate first storage areas and separate second storage areas in a plurality of said sorting steps.

Claim 12. (New) The method as claimed in claim 11, further including providing separate diverter devices in between a plurality of said storage areas.

Claim 13. (New) The method as claimed in claim 11, further including providing a plurality of first storage areas along a first generally linear path and a plurality of second storage areas along a second linear path.

 **Claim 14.** (New) A method of sorting a group of objects in accordance with a sequence of order numbers assigned to the objects, comprising:

in a first sorting step, allocating a respective object into to a first storage area or into a second storage area based on a value of zero or one in a binary bit or remainder interrogation,

in a second sorting step, allocating a respective object into said first or second storage area in a storage area sequence of first objects from one of said first or second storage areas and then objects from the other of said first or second storage areas based on a value of zero or one in a binary bit or remainder interrogation,


in later sorting steps, allocating respective objects into said first or second storage areas, while maintaining the storage area sequence of the second sorting step, based on a value of zero or one in a binary bit or remainder interrogation, and

further including comparing a sorting state with a desired sorting state and upon the occurrence of an error repeating said sorting steps.

Claim 15. (New) The method as claimed in claim 14, further including providing separate first storage areas and separate second storage areas in a plurality of said sorting steps.

Appl. No. 10/049,431
Amdt. dated July 28, 2003
Reply to Office Action of February 26, 2003

Claim 16. (New) The method as claimed in claim 15, further including providing separate diverter devices in between a plurality of said storage areas.

 **Claim 17.** (New) The method as claimed in claim 15, further including providing a plurality of first storage areas along a first generally linear path and a plurality of second storage areas along a second linear path.

Claim 18. (New) A method of sorting a group of objects in accordance with a sequence of order numbers assigned to the objects, comprising:

in a first sorting step, allocating a respective object into to a first storage area or into a second storage area based on a value of zero or one in a binary bit or remainder interrogation,

in a second sorting step, allocating a respective object into said first or second storage area in a storage area sequence of first objects from one of said first or second storage areas and then objects from the other of said first or second storage areas based on a value of zero or one in a binary bit or remainder interrogation,

in later sorting steps, allocating respective objects into said first or second storage areas, while maintaining the storage area sequence of the second sorting step, based on a value of zero or one in a binary bit or remainder interrogation, and

further including subdividing the group in at least on preparation step into a subgroup of objects whose order number is less than a relevant predetermined number, and into a group of objects whose order

number is equal to or greater than the predetermined number, and each subgroup being sorted.

Claim 19. (New) A method as claimed in claim 18, further including combining the subgroups in order after being sorted.

Claim 20. (New) The method as claimed in claim 18, further including providing a plurality of first storage areas along a first generally linear path and a plurality of second storage areas along a second linear path.

Claim 21. (New) An apparatus for sorting a group of objects in accordance with a sequence of order numbers assigned to the objects, comprising:

means for, in a first sorting step, allocating a respective object into to a first storage area or into a second storage area based on a value of zero or one in a binary bit or remainder interrogation,

means for, in a second sorting step, allocating a respective object into said first or second storage area in a storage area sequence of first objects from one of said first or second storage areas and then objects from the other of said first or second storage areas based on a value of zero or one in a binary bit or remainder interrogation,

means for, in later sorting steps, allocating respective objects into said first or second storage areas, while maintaining the storage area sequence of the second sorting step, based on a value of zero or one in a binary bit or remainder interrogation,

wherein the group of objects to be sorted is in the range of between 0 and $2^N - 1$, wherein N is the number of sorting steps.

Claim 22. (New) An apparatus according to claim 21, further including independent first and second storage areas for each sorting step, such that each first and second storage area serves as separate source storage areas for subsequent steps.

Claim 23. (New) An apparatus for sorting a group of objects in accordance with a sequence of order numbers assigned to the objects, comprising:

a plurality of independent first storage areas aligned together and a plurality of independent second storage areas aligned together;


a plurality of diverters for diverting objects between subsequent ones of said first and second storage areas,

a controller configured to control one diverter to, in a first sorting step, allocate a respective object into to one of said first or said second storage areas based on a value of zero or one in a binary bit or remainder interrogation, to control another diverter to, in a second sorting step, allocate a respective object into another of said first or second storage areas in a storage area sequence of first objects from one of said first or second storage areas and then objects from the other of said first or second storage areas based on a value of zero or one in a binary bit or remainder interrogation, and to control other diverters, in later sorting steps, to allocate respective objects into other first or second storage areas, while maintaining the

Appl. No. 10/049,431

Amdt. dated July 28, 2003

Reply to Office Action of February 26, 2003

 storage area sequence of the second sorting step, based on a value of zero or one in a binary bit or remainder interrogation.
